

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	5	("20030008620" "5805667" "6021315" "6208841" "6329953").PN. OR ("7035594").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/23 15:49
S1	33	(455/67.11 or 455/115.1 or 455/226.1) and (test\$3 near2 radio near4 (device or kit or equipment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 10:00
S2	8	("4843403" "5081466" "5300939" "5541611" "6021315" "6292153" "6329953" "6501431").PN. OR ("6900771").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/19 16:48
S3	9	"5619213"	US-PGPUB; USPAT	OR	OFF	2007/03/20 12:45
S4	1	"20020127971"	US-PGPUB; USPAT	OR	OFF	2007/03/20 12:45
S5	5	"6215448"	US-PGPUB; USPAT	OR	OFF	2007/03/20 12:46
S6	21	"3383639"	US-PGPUB; USPAT	OR	OFF	2007/03/20 12:49
S7	9	"5619213"	US-PGPUB; USPAT	OR	OFF	2007/03/20 12:50
S8	13	"6021315"	US-PGPUB; USPAT	OR	OFF	2007/03/20 12:53
S9	5	"6215448"	US-PGPUB; USPAT	OR	OFF	2007/03/20 12:54
S10	6	"6088582"	US-PGPUB; USPAT	OR	OFF	2007/03/20 15:40
S11	1	(455/67.11 or 455/67.1 or 455/67.12 or 455/81 or 455/575.8 or 455/115.1 or 455/226.1 or 455/271 or 455/328 or 455/227 or 455/2340) and (coupl\$3 same transmission and reception) and ridge same bevel and (wideband same mode same propagation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:11

EAST Search History

S12	757	(455/67.11 or 455/67.1 or 455/67.12 or 455/81 or 455/575.8 or 455/115.1 or 455/226.1 or 455/271 or 455/328 or 455/227 or 455/2340) and (coupl\$3 same transmission and reception)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 15:45
S13	1	S12 and (wideband same mode same propagation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 16:10
S14	15	S12 and (wideband same propagation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 15:46
S15	21	("2239724" "4641317" "4743906" "4813057" "4843403" "4979186" "5319377" "5363108" "5523767" "5677927" "5687169" "5734350" "5832035" "5872546" "6278410").PN. OR ("6845253").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 16:08
S16	57	S12 and (test\$3 and radio near3 device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 16:11
S17	16	("3273150" "5300939" "5585808").PN. OR ("6021315").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 16:40
S18	9	("4459437" "4972511" "5483690" "5881376").PN. OR ("6088582").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 17:03
S19	314	(455/67.11 or 455/67.1 or 455/67.12 or 455/81 or 455/575.8 or 455/115.1 or 455/226.1 or 455/271 or 455/328 or 455/227 or 455/2340) and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:36

EAST Search History

S20	26	S19 and ridge\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:13
S21	1	S19 and (ridge\$1 and bevel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:13
S22	1	S19 and (ridge\$1 and pegs)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:13
S23	10	("3914713" "3978434" "4047128" "4467294").PN. OR ("4622524").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 17:18
S24	36	(455/67.11 or 455/67.1 or 455/67. 12 or 455/81 or 455/575.8 or 455/115.1 or 455/226.1 or 455/271 or 455/328 or 455/227 or 455/2340) and waveguide and wideband	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:37
S25	5	("20020131480" "5498969" "5940750" "6600913" "6650178").PN. OR ("7092687"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 17:46
S26	0	waveguide and wideband and pin and ridge and fasten\$3 and holder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:48
S27	2664	(waveguide and wideband)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:48

EAST Search History

S28	362	(pegs and ridge\$1 and fasten\$3 and holder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:20
S29	1	S27 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:49
S30	1	S27 and ridge and fasten\$3 and holder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:51
S31	12	S27 and ridge and fasten\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:51
S32	0	("2004/0173020").URPN.	USPAT	OR	OFF	2007/03/20 17:54
S33	15	("20010047685" "3593224" "3728650" "3737812" "4358744" "4720693" "4797597" "5043629" "5471182" "5827985" "5872494" "5992251" "6019007" "6393909").PN. OR ("6834546").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 17:57
S34	9	("4459437" "4972511" "5483690" "5881376").PN. OR ("6088582").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 18:04
S35	5	"5408439"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 18:06
S36	2	"6657171"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 18:21
S37	1	"6870448"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 18:21

EAST Search History

S38	8	"5198754"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 18:26
S39	17	"6236223"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 18:28
S40	1	"7061251"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/20 19:19
S41	9809	(waveguide and ridge\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:12
S42	72540	(holder and edge\$1) and coupl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:13
S43	122	(wideband same mode same propagation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:14
S44	13	S41 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:40
S45	1	S44 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:15

EAST Search History

S46	263	S41 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:15
S47	25	S46 and radio near2 device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:16
S48	2278	(ridge\$1 with bevel\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:53
S49	1	S48 and waveguide and radio near device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:42
S50	9	S48 and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:42
S51	251	(ridge\$1 with bevel\$3) and holder\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:54
S52	1	(ridge\$1 with bevel\$3) and holder\$1 and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:53

EAST Search History

S53	9	(ridge\$1 with bevel\$3) and holder\$1 and pegs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:55
S54	0	(ridge\$1 with bevel\$3) and holder\$1 and (conductive adj pin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:56
S55	111	(ridge\$1 with bevel\$3) and holder\$1 and pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:56
S56	68	(ridge\$1 with bevel\$3) and holder\$1 and pin and wall	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 11:25
S57	734390	absorption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:57
S58	132051	"68" and absorption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:57
S59	2	S56 and absorption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:58

EAST Search History

S60	0	S56 and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 09:58
S61	4	"3383630"	US-PGPUB; USPAT	OR	OFF	2007/03/21 10:15
S62	3	("3383630").URPN.	USPAT	OR	OFF	2007/03/21 10:16
S63	0	(arrangement radio device testing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/03/21 11:26
S64	46	(arrangement same radio near2 device same testing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 11:43
S65	3	(ridge near3 waveguide) and (radio near2 device same testing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 11:44
S66	3	("4962384" "6021315").PN. OR ("6188365").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/21 16:20
S67	795	waveguide and (test\$3 or calculat\$3 or determin\$3 or caliberat43) and RF near2 device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:19
S68	0	S67 and absorption same material\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 16:25

EAST Search History

S69	206	S67 and absorption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 16:25
S70	83	S67 and absorption and inner	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 16:25
S71	49345	(both near3 ends close\$3) and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 18:41
S72	1427	(pin\$1 or peg41 or dowel\$1 or hook\$1 or nail\$1 or fasten\$3) same (conductive same substance\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 18:55
S73	2513	(holder\$1 or cradle\$1 or container\$1 or crib\$1) same made same conductive and substances	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:10
S74	1	S67 and S71 and S72 and S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 18:52
S75	2	S71 and S72 and S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 18:54

EAST Search History

S76	145	S72 and S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 18:53
S77	2	S72 and S73 and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 18:53
S78	1	S73 and S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 18:54
S79	145	S73 and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 18:54
S80	97	(pin\$1 or peg\$1 or dowel\$1 or hook\$1 or nail\$1 or fasten\$3) same (conductive same substance\$1) same (holder\$1 or cradle\$1 or container\$1 or crib\$1) same made same conductive and substances	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:06
S81	44	S71 and S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:06
S82	47	(holder\$1 or cradle\$1 or container\$1 or crib\$1) same made same conductive and substances and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:18

EAST Search History

S83	795	RF near2 device and (test\$3 or calculat\$3 or determin\$3 or caliberat43) and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:20
S84	132	RF near2 device same (test\$3 or calculat\$3 or determin\$3 or caliberat43) and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:20
S85	26	RF near2 device same (test\$3 or calculat\$3 or determin\$3 or caliberat43) same waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:24
S86	5	RF near2 device and (test\$3 or calculat\$3 or determin\$3 or caliberat43) and 455/80.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:31
S87	3522	("340"/\$ or "342"/\$) and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:32
S88	86	RF same device and testing and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:42
S89	3	("5012248" "5355083" "6788244").PN. OR ("6984976").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/21 19:39

EAST Search History

S90	171044	RF same device and testing and us\$3 waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:43
S91	4	RF same device and testing same using near1 waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:44
S92	121115	(RF or radio near2 frequency) same (device\$1 or equipment) and (test\$3 or measur\$5 or calculat\$3 or determin\$4 or calibrat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:46
S93	15	(RF or radio near2 frequency) same (device\$1or equipment) and (test\$3 or measur\$5 or calculat\$3 or determin\$4 or calibrat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:51
S94	3320866	(RF or radio near2 frequency same device\$1) same testing arrangement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:51
S95	45	(RF or radio near2 frequency same device\$1) same testing near1 arrangement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 19:51
S96	10	("5507010" "5521904" "5557603" "5754104" "6049315" "6075997" "6219359" "6253067").PN. OR ("6505041").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/21 19:55
S97	211	455/81	US-PGPUB; USPAT	OR	OFF	2007/03/21 20:17

EAST Search History

S98	17	((ultra near2 wide near2 band) or UWB) and transmi\$5 and receiv\$4 and DSP and DC near offset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 20:19
S99	1	"1223432"	EPO	OR	OFF	2007/03/22 15:27
S100	7	"6797891"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:14
S101	0	(pegs and ridge\$1 and fasten\$3 and holder) same made near4 conductive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:20
S102	0	(pegs and ridge\$1 and fasten\$3 and holder) and made near4 conductive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:21
S103	0	(pegs and ridge\$1 and fasten\$3 and holder) and conductive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:41
S104	147	(pegs and ridge\$1 and fasten\$3 and holder) and inner near surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:22
S105	32	(pegs and ridge\$1 and fasten\$3 and holder) and inner near surface and conductive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:22

EAST Search History

S10 6	9	(pegs and ridge\$1 and fasten\$3 and holder) and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:07
S10 7	17	(pegs and fasten\$3 and holder) and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:10
S10 8	7	(pegs and holder same conductive) and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:16
S10 9	70	((peg\$1 or dowel or post\$1 or pins or hook41 or nail\$1or bolt\$1) and holder same conductive same surface) and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:46
S11 0	231509	((peg\$1 or dowel or post\$1 or pins or hook41 or nail\$1or bolt\$1 near2 contact same waveguide) and holder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:47
S11 1	24	((peg\$1 or dowel or post\$1 or pins or hook41 or nail\$1or bolt\$1) near2 contact same waveguide) and holder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:52
S11 2	0	(holder\$1 near3 comprises same (peg\$1 or dowel or post\$1 or pins or hook41 or nail\$1or bolt\$1)) near2 conductive same surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:53

EAST Search History

S11 3	0	(holder\$1 near3 comprises and (peg\$1 or dowel or post\$1 or pins or hook41 or nail\$1or bolt\$1)) near2 conductive same surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:56
S11 4	1582	(absorption same material\$1 and inner same surface\$1) and waveguide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:58
S11 5	280	S114 and multilayer\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:58
S11 6	0	S114 and multilayer\$3 and strip41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:59
S11 7	100	S114 and multilayer\$3 and strip\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:07
S11 8	36	S114 and multilayer\$3 and strip\$1 and holder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:04
S11 9	9	S114 and multilayer\$3 and strip\$1 and fasten\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:05

EAST Search History

S12 0	3	("5179615" "5313544").PN. OR ("6081643").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/22 18:06
----------	---	---	------------------------------	----	-----	------------------